

Financial competitiveness of organic agriculture on a global scale

David W. Crowder^{a,1} and John P. Reganold^b

^aDepartment of Entomology, Washington State University, Pullman, WA 99164; and ^bDepartment of Crop and Soil Sciences, Washington State University, Pullman, WA 99164

Edited by M. S. Swaminathan, Centre for Research on Sustainable Agricultural and Rural Development, Madras, India, and approved May 1, 2015 (received for review December 10, 2014)

To promote global food and ecosystem security, several innovative farming systems have been identified that better balance multiple sustainability goals. The most rapidly growing and contentious of these systems is organic agriculture. Whether organic agriculture can continue to expand will likely be determined by whether it is economically competitive with conventional agriculture. Here, we examined the financial performance of organic and conventional agriculture by conducting a meta-analysis of a global dataset spanning 55 crops grown on five continents. When organic premiums were not applied, benefit/cost ratios (−8 to −7%) and net present values (−27 to −23%) of organic agriculture were significantly lower than conventional agriculture. However, when actual premiums were applied, organic agriculture was significantly more profitable (22–35%) and had higher benefit/cost ratios (20–24%) than conventional agriculture. Although premiums were 29–32%, breakeven premiums necessary for organic profits to match conventional profits were only 5–7%, even with organic yields being 10–18% lower. Total costs were not significantly different, but labor costs were significantly higher (7–13%) with organic farming practices. Studies in our meta-analysis accounted for neither environmental costs (negative externalities) nor ecosystem services from good farming practices, which likely favor organic agriculture. With only 1% of the global agricultural land in organic production, our findings suggest that organic agriculture can continue to expand even if premiums decline. Furthermore, with their multiple sustainability benefits, organic farming systems can contribute a larger share in feeding the world.

sustainable agriculture | food security | organic premiums | meta-analysis | economic

Although agriculture provides growing supplies of food and other products, it is a major contributor to greenhouse gases, biodiversity loss, agrochemical pollution, and soil degradation (1–3). Concerns about the sustainability of conventional agriculture in particular have promoted interest in alternative farming systems that are more environmentally benign. These alternative systems are not widespread and include organic, integrated, conservation agriculture, mixed crop/livestock, and perennial grains (2, 4, 5). Organic agriculture is the most popular alternative farming system in the world, with global sales of organic foods and beverages growing 170% to \$63 billion from 2002 to 2011 (6). The majority of these sales (90%) are concentrated in North America and Europe, with Asia, Latin America, and Africa being primarily export producers (6). Although certified organic farming is practiced in 162 countries, organic agriculture currently occupies only 1% of global cropland (6). Growth of organic agriculture is often limited by inexperience with production methods, inadequate marketing and technical infrastructure, low consumer spending power, and government policies (7, 8).

Organic agriculture is contentious, with critics arguing that it is inefficient (9, 10), relying on more land to produce the same amount of food as conventional agriculture. In turn, adopting organic agriculture on too large a scale could potentially threaten the world's forests, wetlands, and grasslands (9, 11). Additionally,

skeptics contend that organic agriculture has too many shortcomings and poor solutions to agricultural problems (9, 12) and will become less relevant in the future (10). However, recent international agricultural reports recognize organic agriculture as an innovative farming system that balances multiple sustainability goals and will be of increasing importance in global food and ecosystem security (1, 4, 5). According to a National Academy of Sciences report (5), such multiple sustainable goals for any farming system should include producing adequate amounts of high-quality food, enhancing the natural resource base and environment, contributing to the well-being of farmers and their communities, and making farming financially viable.

Reviews and meta-analyses have shown that although organic agriculture produces lower yields compared with conventional agriculture (13–15), it delivers equal or more nutritious foods (16–18) with less to no pesticide residues (17–19). Such aggregate studies generally support the perception that organic farming systems are more environmentally friendly than conventional farming systems. For example, environmental benefits include greater energy efficiency (20–22); enhanced soil carbon and quality (20–24); greater floral, faunal, and landscape diversity (21–23, 25–27); and less pesticide and nutrient pollution of ground and surface waters (20, 23, 25, 26). Although few studies have been conducted comparing the sociocultural aspects of organic and conventional agriculture, organic farming has been shown to have some sociocultural strengths, such as more humane animal production conditions (28), positive shifts in community economic development and social interactions (29, 30), and greater employment of farm workers and cooperation among farmers (31, 32).

Significance

Some recognize organic agriculture as being important for future global food security, whereas others project it to become irrelevant. Although organic agriculture is rapidly growing, it currently occupies only 1% of global cropland. Whether organic agriculture can continue to expand will likely be determined by whether it is economically competitive with conventional agriculture. Accordingly, we analyzed the financial performance of organic and conventional agriculture from 40 y of studies covering 55 crops grown on five continents. We found that, in spite of lower yields, organic agriculture was significantly more profitable than conventional agriculture and has room to expand globally. Moreover, with its environmental benefits, organic agriculture can contribute a larger share in sustainably feeding the world.

Author contributions: D.W.C. and J.P.R. designed research; D.W.C. and J.P.R. performed research; D.W.C. analyzed data; and D.W.C. and J.P.R. wrote the paper.

The authors declare no conflict of interest.

This article is a PNAS Direct Submission.

¹To whom correspondence should be addressed. Email: dcrowder@wsu.edu.

This article contains supporting information online at www.pnas.org/lookup/suppl/doi:10.1073/pnas.1423674112/-DCSupplemental.

To be sustainable, organic agriculture must also be profitable (8). Moreover, whether organic agriculture can continue to expand globally will primarily be determined by its financial performance compared to conventional agriculture (7, 13). The main factors that determine the profitability of organic agriculture include crop yields, labor costs, price premiums for organic products, potential for reduced income during the organic transition period, and potential cost savings from the reduced use of nonrenewable resources and purchased inputs (33). Although individual studies have compared the financial performance of organic and conventional farms and addressed these factors, no studies have synthesized this information on a global scale. Here, we address this knowledge gap by comparing the financial performance of organic and conventional agriculture with a dataset spanning 55 crops grown on five continents. Using meta-analysis, we identified broad economic sustainability patterns not apparent in primary field research by examining total costs, variable costs, labor costs, fixed costs, gross returns, benefit/cost ratios, net present values, organic price premiums, and yields for organic and conventional agriculture.

Results and Discussion

Financial Performance of Organic and Conventional Agriculture. We conducted a literature survey and identified 129 studies that examined the financial performance of organic compared with conventional agriculture (Datasets S1–S5). Of these studies, 44 studies met our criteria for inclusion in a meta-analysis, representing 55 crops grown in 14 countries on five continents (Fig. S1). Data from these studies were used to compare financial parameters of organic and conventional agriculture using two classifications: (i) individual crops ($n = 91$) and (ii) cropping systems (which considered multiple crops in a rotation, $n = 84$) (Datasets S1–S5). Previous meta-analyses comparing yields of organic and conventional agriculture only considered individual crops, but not cropping systems (13–15, 34, 35). However, a farmer's financial security is often based on profits from multiple crops grown over several seasons, which is reflected in our analysis of cropping systems. Therefore, we determined whether costs, gross returns, benefit/cost ratios, and net present values differed significantly between organic and conventional crops and systems.

Total costs, variable costs, and fixed costs did not differ significantly between organic and conventional crops or systems (Fig. 1A and Tables S1–S3). Labor costs, which are part of variable costs, were significantly higher for organic crops (13%) and systems (7%) (Fig. 1A and Tables S1–S3). However, the higher labor costs on organic farms were offset by the reduced use of nonrenewable resources and purchased inputs, such as synthetic fertilizers and pesticides. Organic farms often have higher labor

costs because they devote more resources to mechanical pest control, have a greater diversity of enterprises, or need to develop new marketing and processing activities (36). Although one of the successes of conventional agriculture has been its ability to create more with less labor, some have found the extra labor of organic agriculture to be beneficial by helping to redistribute resources and promote rural stability in regions where the labor force is underemployed (37).

When organic premiums were not applied, gross returns, benefit/cost ratios, and net present values were significantly lower for organic crops (−10%, −7%, and −23%, respectively) and systems (−18%, −8%, and −27%, respectively) compared with their conventional counterparts (Fig. 1A and B and Tables S1–S6). Importantly, because gross returns without premiums mirror yields, our observed 10% and 18% lower yields for organic crops and systems, respectively, are similar to results from all five meta-analyses comparing organic and conventional yields (13–15, 34, 35). When actual organic premiums were applied, gross returns, benefit/cost ratios, and net present values were significantly higher for organic crops (21%, 24%, and 35%, respectively) and systems (9%, 20%, and 22%, respectively) (Fig. 1A and B and Tables S1–S6). These results show that the combination of ample organic yields, similar costs, and organic premiums allowed net present values and benefit/cost ratios to be reliably greater for organic crops and systems. Additionally, total costs, gross returns, benefit/cost ratios, and net present values for organic compared with conventional crops and systems were consistent across the 40-y study period (Fig. S2).

Organic Premiums. From the studies in our meta-analysis, we also determined price premiums that were awarded to organic crops and systems. These values were compared with breakeven premiums needed for net present values from organic agriculture to match net present values from conventional agriculture. If organic agriculture is more profitable than conventional agriculture, then actual premiums awarded are higher than breakeven premiums; if organic agriculture is less profitable, then actual premiums awarded are lower than breakeven premiums.

We found that median premiums were 32% for organically grown crops and 29% for organic systems (averaged across all crops in the system). In contrast, median breakeven premiums needed for organic crops and systems to match the net present values of their conventional counterparts were significantly lower at 5% and 7%, respectively (Fig. 1C and Table S7). Organic premiums awarded, and the difference between organic premiums and breakeven premiums, were consistent during the 40-y study period (Fig. S2). The fact that organic premiums are significantly higher than those premiums needed to break even with




Fig. 1. Financial performance of organic compared with conventional crops and systems. Shown are the median log response-ratios (RR; \pm SE) for costs, gross returns, and benefit/cost (B/C) ratios (A), median Hedges d values (\pm SE) for net present values (B), and organic premiums awarded and breakeven premiums needed for organic net present values to match conventional net present values (C). In A and B, asterisks indicate significant differences from 0. Positive values indicate financial parameters were higher in organic agriculture compared with conventional agriculture.

conventional agriculture provides substantial financial incentives for organic growers to go through 3 y of transition expenses, acquire certification, and establish buyers and markets (36).

Factors Affecting the Financial Performance of Organic and Conventional Agriculture. We used mixed-effects models to examine the influence of 14 categorical variables on costs, gross returns, net present values, benefit/cost ratios, and differences in premiums for organic relative to conventional crops and systems. These 14 variables included crop type, continent, study duration, rotation length, annuals or perennials, legumes or nonlegumes, study type (experiment station, on-farm, or survey), time since conversion, organic status (transitioning or posttransition), crop diversity, nitrogen input, developed or developing country, latitude, and scale (whole-farm or plot) (Tables S8–S12).

We found that several variables (crop type, rotation length, crop diversity, annual/perennial, and legume/nonlegume) significantly affected net present values or benefit/cost ratios in organic-to-conventional crops but not systems (Fig. 2 and Tables S10 and S11). Cereals, fiber, and oil crops had the greatest organic-to-conventional net present values and benefit/cost ratios, whereas forage, vegetables, and other (meat and dairy) produced the lowest (Fig. 2). Organic-to-conventional financial performance was also higher when organic crops were grown in longer

or more diverse rotations, in annual compared with perennial systems, and in leguminous compared with nonleguminous crops (Fig. 2).

Few other categorical variables significantly influenced costs, net present values, benefit/cost ratios, or differences in premiums between organic and conventional crops or systems (Tables S8 and S10–S12). Of particular note, our data indicate that organic-to-conventional gross returns without premiums, which reflect yields, did not significantly improve for crops and systems after the 3-y transition period (Fig. 3 A and B and Table S9). Additionally, organic-to-conventional gross returns without premiums were consistent across the 40-y study period for crops and systems (Fig. 3 C and D). The 3-y transition period from conventional to organic crop production is often reported as the most difficult time financially for organic farmers because their yields drop and they receive no official price premium for their crops (33, 36). Our data suggest that the lack of price premiums appears to be the major factor limiting the profitability of organic farming during the transition period.

Externalities and Ecosystem Services. If we also put a price on the negative externalities caused by farming, such as soil erosion or nitrate leaching into groundwater, then organic agriculture would become even more profitable because its environmental





Fig. 2. Sensitivity of net present values and benefit/cost ratios in organic (Org) compared with conventional (Conv) crops. Variables that affected net present values or benefit/cost ratios were crop type (A and B), crop diversity (C and D), length of rotation (E and F), annual or perennial crop (G and H), and leguminous or nonleguminous crop (I and J). Values shown are the median log response-ratios (\pm SE) comparing organic with conventional crops. In each panel, different letters indicate significant differences between values of the explanatory variables.



Scaling up organic and other farming systems that balance all four sustainability goals with appropriate public policies can create an enabling environment for such sustainable modes of production. The challenge facing policymakers is to develop government policies that support conventional farmers converting to organic and other more sustainable systems, especially during the transition period, often the first 3 y. In addition, such policies can be established that incorporate the value of external costs and ecosystem services of different farming approaches, such as organic agriculture, into the traditional marketplace, thereby supporting food producers for using sustainable practices. Foods would be valued based on health benefits, food security, and ecosystem services, minus any environmental and social costs, provided by the farms that produced them. Such a food system would be both farming system and technology neutral and would allow the public to choose products that push agriculture in a more sustainable direction.

Literature Survey. We searched the literature to identify studies comparing the financial performance of organic and conventional agriculture. Our search was performed in January 2013 and repeated in June 2014 using the Institute for Scientific Information Web of Knowledge Database and the search terms "conven* and organ*" and "econ* or finance*." Our literature search yielded 3,901 studies that were reviewed. We supplemented this search by reviewing the references in three meta-analyses of conventional and organic yields (13, 14, 35). For any study containing financial data, we also reviewed the references cited to locate other sources. In total, we identified 129 studies that compared some aspects of the financial performance of organic or conventional agriculture. These studies were examined for inclusion in our meta-analysis based on six criteria: (i) studies reported gross returns and production costs for organic and conventional treatments, or these data could be calculated; (ii) studies had at least three replicates of the organic and conventional treatments; (iii) organic treatments were certified organic or following organic certification standards; (iv) conventional treatments used recommended rates of synthetic pesticides and fertilizers; (v) studies reported primary data not already included in another paper; and (vi) the spatial and

temporal scales of the organic and conventional treatments were comparable. Forty-four studies met these criteria, representing 55 crops; 14 countries; and the five regions of Asia, Europe, North America, Oceania, and South America (Fig. S1 and Datasets S1–S5). None of the 44 studies had government subsidies for organic or conventional agriculture.

Calculation of Effect Sizes. From these 44 studies, we ran meta-analyses comparing financial parameters of organic and conventional agriculture using two classifications: (i) individual crops ($n = 91$) and (ii) cropping systems (which considered multiple crops in a rotation, $n = 84$) (Datasets S1–S5). For each data point, we calculated effect sizes comparing organic agriculture with conventional agriculture for the following: (i) total costs: total cost of production; (ii) variable costs: costs that vary according to the quantity of crops produced, such as labor and materials; (iii) fixed costs: costs that do not change regardless of the quantity of crops produced; (iv) labor costs: wages and benefits paid to workers; (v and vi) gross returns without and with premiums: the value of crops produced, calculated as price \times yield; (vii and viii) benefit/cost ratios without and with premiums: gross returns divided by total costs; and (ix and x) net present values without and with organic premiums, which were calculated for each study by determining net returns (gross returns – total costs) and applying a 6% discount rate according to the following formula:

$$NPV = NR_t / (1 + i)^t,$$

where NPV is net present value, NR is net returns, t is the number of years since a study was initiated when the net returns were received, and i is the discount rate.

Values for premiums received and the year(s) premiums were awarded were taken directly from each study. Some studies did not include premiums for all years if the organic fields/plots were in the transition period; in such cases, premiums were only awarded after the transition period. Moreover, some studies did not include premiums; for these studies, premiums were listed at 0%. Thus, our calculations of premiums were conservative. Both benefit/cost ratios and net present values were calculated because they are important measures of the monetary gain of a venture relative to the costs of executing that venture, producing crops and cropping systems in this case. Net present values, gross returns, and benefit/cost ratios were positively correlated for crops and systems (Fig. S3), suggesting that each metric similarly reflected the financial performance of organic compared with conventional agriculture.

Our primary meta-analysis metric was the log response-ratio, which was calculated with and without weighting (42). Weights were the inverse of the study variance plus a common random-effects variance component (42). We also calculated effect sizes using the Hedges d value (43). For net present values, only the Hedges d value was calculated because net present values were negative for some studies, such that log response-ratios could not be calculated. For studies that were conducted over multiple years, we averaged financial parameters across years in our calculation of effect sizes. Results using unweighted log response-ratios, weighted log response-ratios, and Hedges d values were qualitatively similar (Tables S1–S7), showing that our results were robust regardless of the meta-analysis metric used for analysis. Thus, unweighted analyses are presented in the main text, except for net present values where only the Hedges d value could be calculated. Unweighted effect sizes were used because weighted analyses place emphasis on highly replicated but artificial experiments at the expense of whole-farm studies that have less replication but are more representative of real-world agriculture (44).

We calculated effect sizes for individual crops and farming systems. Effect sizes for crops were calculated in two ways: (i) individual crops per cropping system or rotation ($n = 91$) and (ii) individual crops per study ($n = 77$). With the crops/system scheme, for studies that had multiple distinct rotations, financial parameters for crops were calculated independently for each rotation. For example, if a study reported on corn in 2-y and 4-y rotations, financial parameters for corn were calculated separately for each rotation. In contrast, the crops/study scheme pooled financial parameters for crops across different rotations but in the same study. In this case, for the above example, financial parameters for corn would have been averaged across the 2-y and 4-y rotations. Results were qualitatively similar for the two classification

schemes for each variable tested (Figs. S2 and S3 and Tables S1–S12). Thus, whenever we reference “crops,” we refer to the crops/system scheme.

Study Variables. We gathered data on 14 categorical variables and one continuous variable from studies to determine whether our results were sensitive to these parameters. These variables were as follows: (i) crop type (cereals, fiber, forage, fruits, oil crops, other, pulses, tree nuts, vegetables) following Food and Agriculture Organization definitions, (ii) continent (Asia, Africa, Europe, North America, Oceania, South America), (iii) study duration (very short: one to two seasons, short: three to five seasons, medium: six to 10 seasons, long: >10 seasons), (iv) rotation length (none: both systems had no crop rotation, similar: both systems had a rotation of similar length, longer conventional: conventional system had a longer crop rotation, longer organic: organic system had a longer crop rotation), (v) annual/perennial (annual crop species, perennial crop species), (vi) legume/non-legume (legume: N -fixing crop of the Fabaceae family, nonlegume: not an N -fixing crop species, both: both N -fixing and non- N -fixing crops present), (vii) study type (experiment station: plot study on an experimental station, farm: whole-farm comparison study; survey: whole farms compared through surveys), (viii) time since conversion (recent: 0–3 y, young: 4–7 y, established: >7 y), (ix) organic status (transitioning: study was conducted on farms/plots that were in the process of transitioning to organic, posttransition: study was conducted on farms/plots after the transition period, both: study was conducted both during and after the transition period), (x) crop diversity (monoculture: single crop in both systems, multiboth: multiple crops in both systems, multiconv: multiple crops in conventional system only, multiorganic: multiple crops in organic system only), (xi) nitrogen input (higher in conventional: conventional had 50% or more nitrogen than organic, higher in organic: organic had 50% or more nitrogen than conventional, similar: conventional and organic received similar nitrogen), (xii) country development [developed: very high human development index (HDI), developing: high medium or low HDI], (xiii) latitude (temperate: 30–90 °C, tropical: 0–30 °C), and (xiv) scale of study (farm: whole-farm comparisons or survey, plot: plots on a farm or experiment station). We also tested the effects of the year studies were initiated (a continuous variable) to determine if effects varied over time.

Data Analysis. We compared effect sizes against 0 using Wilcoxon signed-rank tests because the distributions were nonnormal (27). Effect sizes significantly greater than 0 indicate a higher value for organic agriculture, and effect sizes significantly lower than 0 indicate a higher value for conventional agriculture. Similarly, we used Wilcoxon signed-rank tests to determine if organic premiums received differed significantly from breakeven premiums needed for organic net present values to match conventional net present values. All analyses were conducted in JMP (45).

We also used mixed-effect models to determine if total costs, gross returns without premiums, net present values with organic premiums, benefit/cost ratios with organic premiums, and the difference between premiums received and breakeven premiums needed for organic net present values to match conventional net present values were affected by the 14 categorical variables and one continuous variable collected from each study. Gross returns without premiums were analyzed because this variable mirrors yields. Net present values and benefit/cost ratios without premiums were not tested in mixed-effect models because they are less indicative of actual financial performance of organic and conventional cropping systems than their values with premiums. Mixed-effect models were of the general form as

$$y_{\text{effect}} = \beta_0 + \beta_1 x_{\text{fixed}} + b + \varepsilon,$$

where y_{effect} is the effect size; β_0 is the intercept; β_1 is the coefficient associated with the fixed effect, x_{fixed} ; b is the coefficient of the random effect (study); and ε is the remaining variation. Separate models were run for each response variable and fixed variable combination (Tables S8–S12).

ACKNOWLEDGMENTS. We thank the authors of the 44 studies whose extensive fieldwork provided the data for this meta-analysis. We also thank B. Bay, A. Cassey, L. Klein, V. McCracken, K. Painter, W. Snyder, and S. Ward for discussions and comments on our manuscript.

1. International Assessment of Agricultural Science and Technology for Development (2009) *Agriculture at a Crossroads: Global Report* (Island Press, Washington, DC).
2. Rockström J, et al. (2009) A safe operating space for humanity. *Nature* 461(7263): 472–475.
3. Godfray HJ, et al. (2010) Food security: The challenge of feeding 9 billion people. *Science* 327(5967):812–818.

4. De Schutter O (2010) *Report Submitted by the Special Rapporteur on the Right to Food* (United Nations, Geneva).
5. National Research Council (2010) *Toward Sustainable Agricultural Systems in the 21st Century* (The National Academies, Washington, DC).
6. Willer H, Lernoud J, Home R (2013) *The World of Organic Agriculture: Statistics and Emerging Trends 2013*, eds Willer H, Lernoud J, Kilcher L (FiBL-IFOAM, Bonn), pp 26–33.

7. Halberg N, Sulser TB, Høgh-Jensen H, Rosegrant MW, Knudsen MT (2007) *Global Development of Organic Agriculture: Challenges and Prospects*, eds Halberg N, Alrøe HF, Knudsen MT, Kristensen ES (CABI, Wallingford, UK), pp 277–322.
8. Reganold JP, et al. (2011) Agriculture. Transforming U.S. agriculture. *Science* 332(6030): 670–671.
9. Trewavas A (2001) Urban myths of organic farming. *Nature* 410(6827):409–410.
10. Pickett JA (2013) Food security: Intensification of agriculture is essential, for which current tools must be defended and new sustainable technologies invented. *Food and Energy Security* 2(3):167–173.
11. Avery A (2006) *The Truth About Organic Foods* (Henderson Communications LLC, Chesterfield, MO).
12. Kirchmann H, Thorvaldsson G (2000) Challenging targets for future agriculture. *Eur J Agron* 12(3–4):145–161.
13. De Ponti T, Rijk B, van Ittersum MK (2012) The crop yield gap between organic and conventional agriculture. *Agric Syst* 108:1–9.
14. Seufert V, Ramankutty N, Foley JA (2012) Comparing the yields of organic and conventional agriculture. *Nature* 485(7397):229–232.
15. Ponisio LC, et al. (2015) Diversification practices reduce organic to conventional yield gap. *Proc Biol Sci* 282(1799):20141396.
16. Brandt K, Leifert C, Sanderson R, Seal CJ (2011) Agroecosystem management and nutritional quality of plant foods: The case of organic fruits and vegetables. *CRC Crit Rev Plant Sci* 30(1–2):177–197.
17. Smith-Spangler C, et al. (2012) Are organic foods safer or healthier than conventional alternatives?: A systematic review. *Ann Intern Med* 157(5):348–366.
18. Barański M, et al. (2014) Higher antioxidant and lower cadmium concentrations and lower incidence of pesticide residues in organically grown crops: A systematic literature review and meta-analyses. *Br J Nutr* 112(5):794–811.
19. Lu C, et al. (2006) Organic diets significantly lower children's dietary exposure to organophosphorus pesticides. *Environ Health Perspect* 114(2):260–263.
20. Alföldi T, et al. (2002) *Organic Agriculture, Environment, and Food Security*, eds Scialabba NE-H, Hattam C (FAO, Rome), Available at www.fao.org/docrep/005/y4137e/y4137e00.htm, accessed April 4, 2015.
21. Kasprzyk N, Knickel K (2006) *Organic Agriculture: A Global Perspective*, eds Kristiansen P, Taji A, Reganold J (Comstock, Ithaca, NY), pp 259–294.
22. Tuomisto HL, Hodge ID, Riordan P, Macdonald DW (2012) Does organic farming reduce environmental impacts?—A meta-analysis of European research. *J Environ Manage* 112:309–320.
23. Mondelaers K, Aertsens J, Van Huylenbroeck G (2009) A meta-analysis of the differences in environmental impacts between organic and conventional farming. *Br Food J* 111(10):1098–1119.
24. Gattinger A, et al. (2012) Enhanced top soil carbon stocks under organic farming. *Proc Natl Acad Sci USA* 109(44):18226–18231.
25. Lotter DW (2003) Organic agriculture. *Journal of Sustainable Agriculture* 21(4): 59–128.
26. Gomiero T, Pimentel D, Paoletti MG (2011) Environmental impact of different agricultural management practices: Conventional vs. organic agriculture. *CRC Crit Rev Plant Sci* 30(1–2):95–124.
27. Crowder DW, Northfield TD, Strand MR, Snyder WE (2010) Organic agriculture promotes evenness and natural pest control. *Nature* 466(7302):109–112.
28. Wachter JM, Reganold JP (2014) *Encyclopedia of Agriculture and Food Systems*, ed Van Alfen NK (Elsevier, San Diego), Vol 4, pp 265–286.
29. MacRae RJ, Frick B, Martin RC (2007) Economic and social impacts of organic production systems. *Can J Plant Sci* 87:1037–1044.
30. Gruère G, Nagarajan L, King EDIO (2009) The role of collective action in the marketing of underutilized plant species: Lessons from a case study on minor millets in South India. *Food Policy* 34(1):39–45.
31. Prihtanti TM, Hardyastuti S, Hartono S, Irfham (2014) Social-cultural functions of rice farming systems. *Asian Journal of Agriculture and Rural Development* 4(5):341–351.
32. Mendoza TC (2004) Evaluating the benefits of organic farming in rice agroecosystems in the Philippines. *Journal of Sustainable Agriculture* 24(2):93–115.
33. Zentner RP, et al. (2011) Effects of input management and crop diversity on economic returns and riskiness of cropping systems in the semi-arid Canadian Prairie. *Renewable Agriculture and Food Systems* 26(3):208–223.
34. Stanhill G (1990) The comparative productivity of organic agriculture. *Agric Ecosyst Environ* 30(1–2):1–26.
35. Badgley C, et al. (2007) Organic agriculture and the global food supply. *Renewable Agriculture and Food Systems* 22(2):86–108.
36. Padel S, Lampkin NH (1994) *The Economics of Organic Farming: An International Perspective*, ed Lampkin NH (CABI, Wallingford, UK), pp 201–219.
37. International Fund for Agricultural Development (2005) *Organic Agriculture and Poverty Reduction in Asia: China and India Focus* (IFAD, Rome).
38. Wratten S, Sandhu H, Cullen R, Costanza R (2013) *Ecosystem Services in Agricultural and Urban Landscapes* (Wiley-Blackwell, Oxford).
39. Dasgupta P, Ramanathan V (2014) Environment and development. Pursuit of the common good. *Science* 345(6203):1457–1458.
40. Porter J, Costanza R, Sandhu H, Sigsgaard L, Wratten S (2009) The value of producing food, energy, and ecosystem services within an agro-ecosystem. *Ambio* 38(4): 186–193.
41. Sandhu HS, Wratten SD, Cullen R (2010) The role of supporting ecosystem services in conventional and organic arable farmland. *Ecological Complexity* 7(3):302–310.
42. Hedges LV, Gurevitch J, Curtis PS (1999) The meta-analysis of response ratios in experimental ecology. *Ecology* 80(4):1150–1156.
43. Hedges LV, Olkin I (1985) *Statistical Methods for Meta-Analysis* (Academic, Orlando, FL).
44. Hillebrand H, et al. (2007) Consumer versus resource control of producer diversity depends on ecosystem type and producer community structure. *Proc Natl Acad Sci USA* 104(26):10904–10909.
45. SAS Institute (2014) JMP 11.0 (SAS Institute, Inc., Cary, NC).

Supporting Information

Crowder and Reganold 10.1073/pnas.1423674112




Fig. S1. Locations of the 44 studies included in our global meta-analysis.




Table S1. Financial performance of organic compared with conventional agriculture: Crops per system

Variable	N	Mean	SE	Median	SE	SR ⁺	P
Total costs	91	-0.027	0.029	-0.050	0.034	-226.5	0.36
Variable costs	62	0.012	0.034	-0.010	0.039	13.0	0.92
Fixed costs	36	0.020	0.060	0.015	0.033	11.0	0.86
Labor costs	38	0.20	0.073	0.13	0.039	186.0	0.0013
Gross without premiums	91	-0.12	0.035	-0.10	0.030	-1,054.0	<0.0001
Gross with premiums	91	0.25	0.051	0.19	0.058	1198.0	<0.0001
B/C without premiums	91	-0.085	0.036	-0.070	0.043	-585.0	0.016
B/C with premiums	91	0.28	0.050	0.22	0.048	1170.5	<0.0001

Shown are the mean and median effect sizes and their SEs using log response-ratios for costs, gross returns, and benefit/cost (B/C) ratios comparing organic crops (per system) with their conventional counterparts. Distributions of effect sizes were nonnormal, so we used nonparametric statistics [Wilcoxon signed-rank test (SR)] to analyze if effect sizes differed from 0. Values >0 indicate that costs, returns, or benefit/cost ratios were greater in organic crops, whereas values <0 indicate effect sizes were greater in conventional crops.

Table S2. Financial performance of organic compared with conventional agriculture: Crops per study

Variable	N	Mean	SE	Median	SE	SR ⁺	P
Total costs	77	-0.011	0.032	-0.040	0.052	-37.0	0.85
Variable costs	52	0.013	0.039	-0.030	0.046	27.5	0.79
Fixed costs	30	0.082	0.067	0.045	0.044	60.0	0.18
Labor costs	35	0.17	0.076	0.11	0.044	140.0	0.0067
Gross without premiums	77	-0.10	0.039	-0.10	0.034	-624.5	0.0005
Gross with premiums	77	0.20	0.057	0.14	0.054	700.5	0.0002
B/C without premiums	77	-0.082	0.041	-0.070	0.052	-404.0	0.036
B/C with premiums	77	0.22	0.053	0.17	0.053	701.0	<0.0001

Shown are the mean and median effect sizes and their SEs using log response-ratios for costs, gross returns, and benefit/cost ratios comparing organic crops (per study) with their conventional counterparts. Distributions of effect sizes were nonnormal, so we used nonparametric statistics (Wilcoxon signed-rank test) to analyze if effect sizes differed from 0. Values >0 indicate that costs, returns, or benefit/cost ratios were greater in organic crops, whereas values <0 indicate effect sizes were greater in conventional crops.

Table S3. Financial performance of organic compared with conventional agriculture: Systems

Variable	<i>N</i>	Mean	SE	Median	SE	SR ⁺	<i>P</i>
Total costs	84	−0.064	0.033	−0.060	0.044	−405.0	0.061
Variable costs	49	−0.095	0.049	−0.10	0.060	−178.5	0.067
Fixed costs	36	0.051	0.060	0.025	0.025	71.0	0.21
Labor costs	40	0.14	0.067	0.070	0.038	145.0	0.034
Gross without premiums	84	−0.19	0.034	−0.21	0.036	−1,063.0	<0.0001
Gross with premiums	84	0.13	0.043	0.090	0.033	684.5	0.0018
B/C without premiums	84	−0.12	0.041	−0.080	0.036	−536.5	0.014
B/C with premiums	84	0.21	0.045	0.18	0.046	945.0	<0.0001

Shown are the mean and median effect sizes and their SEs using log response-ratios for costs, gross returns, and benefit/cost ratios comparing organic systems with their conventional counterparts. Distributions of effect sizes were nonnormal, so we used nonparametric statistics (Wilcoxon signed-rank test) to analyze if effect sizes differed from 0. Values >0 indicate that costs, returns, or benefit/cost ratios were greater in organic systems, whereas values <0 indicate effect sizes were greater in conventional systems.

Table S4. Financial performance of organic compared with conventional agriculture using weighted effect sizes: Crops per system

Variable	<i>N</i>	Log RR (weighted)			Hedges <i>d</i>		
		Median	SR ⁺	<i>P</i>	Median	SR ⁺	<i>P</i>
Total costs	48	−0.060	−152.5	0.12	−0.31	−87.0	0.38
Variable costs	23	−0.020	−33.0	0.19	−0.19	−25.0	0.46
Fixed costs	11	0.060	20.5	0.031	0.47	17.0	0.14
Labor costs	18	0.0	22.5	0.018	0.74	33.0	0.061
Net present value without premium	70				−0.38	−673.0	<0.0001
Net present value with premium	70				0.35	513.5	0.0016
Gross without premium	70	−0.11	−819.5	<0.0001	−0.52	−849.5	<0.0001
Gross with premium	70	0.15	617.5	0.0002	0.47	485.5	0.0038
B/C without premium	70	−0.065	−331.0	0.038	−0.27	−379.0	0.026
B/C with premium	70	0.16	712.5	<0.0001	0.52	723.5	<0.0001

Median effect sizes comparing organic crops (per system) with their conventional counterparts using log response-ratio (RR) with weighting or Hedges *d*. Values >0 indicate that effect sizes were greater in organic crops, whereas values <0 indicate that effect sizes were greater in conventional crops.

Table S5. Financial performance of organic compared with conventional agriculture using weighted effect sizes: Crops per study

Variable	<i>N</i>	Log RR (weighted)			Hedges <i>d</i>		
		Median	SR ⁺	<i>P</i>	Median	SR ⁺	<i>P</i>
Total costs	44	−0.075	−164.5	0.054	−0.47	−123.0	0.15
Variable costs	22	−0.025	−37.5	0.23	−0.29	−31.0	0.33
Fixed costs	12	0.030	3.0	0.81	0.25	−6.0	0.66
Labor costs	16	0.0	13.0	0.078	0.38	20.5	0.16
Net present value without premium	56				−0.36	−420.5	0.0002
Net present value with premium	56				0.22	189.5	0.11
Gross without premium	56	−0.11	−466.0	<0.0001	−0.45	−487.5	<0.0001
Gross with premium	56	0.055	252.0	0.038	0.20	166.0	0.18
B/C without premium	56	−0.045	−208.0	0.073	−0.21	−246.5	0.043
B/C with premium	56	0.095	358.5	0.0007	0.38	382.0	0.0013

Median effect sizes comparing organic crops (per study) with their conventional counterparts using log response-ratio with weighting or Hedges *d* value. Values >0 indicate that effect sizes were greater in organic crops, whereas values <0 indicate that effect sizes were greater in conventional crops.

Table S6. Financial performance of organic compared with conventional agriculture using weighted effect sizes: Systems

Variable	N	Log RR (weighted)			Hedges <i>d</i>		
		Median	SR ⁺	<i>P</i>	Median	SR ⁺	<i>P</i>
Total costs	42	−0.10	−239.5	0.0011	−0.57	−212.5	0.0063
Variable costs	21	−0.030	−32.5	0.27	−0.18	−33.0	0.26
Fixed costs	11	−0.020	−2.5	0.83	−0.15	−12.0	0.32
Labor costs	12	0.0	9.0	0.094	0.38	17.5	0.084
Net present value without premium	59				−0.37	−545.5	<0.0001
Net present value with premium	59				0.23	314.0	0.017
Gross without premium	59	−0.17	−619.0	<0.0001	−0.65	−634.0	<0.0001
Gross with premium	59	0.050	213.5	0.11	0.18	192.0	0.15
B/C without premium	59	−0.070	−288.0	0.024	−0.17	−301.0	0.022
B/C with premium	59	0.13	479.5	<0.0001	0.42	509.0	<0.0001

Median effect sizes comparing organic systems with their conventional counterparts using log response-ratio with weighting or Hedges *d*. Values >0 indicate that effect sizes were greater in organic systems, whereas values <0 indicate that effect sizes were greater in conventional systems.

Table S7. Price premiums for organically grown crops and systems

Variable	Premium awarded				Premium to match conventional				Difference				SR ⁺	<i>P</i>
	Mean	SE	Median	SE	Mean	SE	Median	SE	Mean	SE	Median	SE		
Crops per system	59.2	7.7	31.7	9.1	18.9	7.6	5.09	4.6	40.3	8.6	21.9	7.2	1,423.0	<0.0001
Crops per study	49.3	8.5	20.6	6.4	20.3	8.9	4.50	4.1	29.0	9.3	15.3	4.0	876.5	<0.0001
Systems	48.5	8.8	29.5	6.0	19.1	5.8	7.05	4.4	27.2	8.0	16.9	6.8	1,042.0	<0.0001

Shown are the mean and median premiums awarded (and their SEs) for organic crops and farming systems; also shown are the mean and median premiums (and their SEs) that were needed for organic crops or systems to match the net present values of their conventional counterparts. The differences between the premium awarded and the premium needed to match conventional are also shown. The distribution of differences between awarded premiums and premiums to match conventional were nonnormal, so we used nonparametric statistics to evaluate whether these values were significantly different from 0 (Wilcoxon signed-rank test statistics shown). Values >0 indicate that the premiums awarded were significantly greater than the premiums needed to match conventional.

Table S8. Sensitivity of organic-to-conventional effect sizes comparing total costs

Variable	Crops/system		Crops/study		Systems	
	<i>F</i>	<i>P</i>	<i>F</i>	<i>P</i>	<i>F</i>	<i>P</i>
Crop type	0.64	0.74	0.44	0.89	1.31	0.26
Continent	0.17	0.95	0.17	0.95	1.23	0.31
Study duration	1.08	0.37	1.02	0.40	1.68	0.19
Rotation length	0.83	0.48	1.43	0.25	2.93	0.041
Annual/perennial	0.29	0.59	0.53	0.47	0.86	0.43
Legume/not legume	0.42	0.52	0.0026	0.96	1.93	0.15
Study type	0.41	0.67	0.42	0.66	0.73	0.49
Time since conversion	0.028	0.97	0.033	0.97	0.44	0.65
Organic status	0.013	0.99	0.031	0.97	0.13	0.88
Crop diversity	0.54	0.47	0.56	0.46	2.27	0.11
Nitrogen input	3.82	0.037	0.80	0.46	0.19	0.83
Country development	0.00	1.00	0.0002	0.99	0.25	0.62
Latitude	0.033	0.86	0.035	0.85	0.13	0.72
Study scale	0.63	0.43	0.65	0.42	1.24	0.27

Results of mixed-effects models testing the sensitivity of effect sizes (log response-ratios) for total costs to 14 categorical variables associated with studies in the meta-analysis. Significant effects indicate that total costs varied for different categories of the explanatory variable.

Table S9. Sensitivity of organic-to-conventional effect sizes comparing gross returns without premiums

Variable	Crops/system		Crops/study		Systems	
	<i>F</i>	<i>P</i>	<i>F</i>	<i>P</i>	<i>F</i>	<i>P</i>
Crop type	1.43	0.20	1.12	0.36	0.92	0.51
Continent	0.43	0.79	0.43	0.79	0.49	0.79
Study duration	2.46	0.089	2.57	0.076	1.40	0.26
Rotation length	0.51	0.68	0.40	0.75	1.40	0.25
Annual/perennial	0.26	0.61	0.037	0.85	0.026	0.97
Legume/not legume	0.020	0.89	0.0070	0.93	0.92	0.40
Study type	1.12	0.33	1.31	0.28	0.25	0.78
Time since conversion	0.083	0.92	0.15	0.86	0.66	0.52
Organic status	0.66	0.52	0.74	0.48	0.12	0.88
Crop diversity	0.19	0.66	0.31	0.58	12.9	<0.0001
Nitrogen input	0.37	0.69	0.52	0.60	0.11	0.90
Country development	0.013	0.91	0.085	0.77	0.30	0.59
Latitude	0.14	0.71	0.067	0.80	0.76	0.38
Study scale	0.78	0.38	1.03	0.32	0.019	0.89

Results of mixed-effects models testing the sensitivity of effect sizes (log response-ratios) for gross returns without premiums to 14 categorical variables associated with studies in the meta-analysis. Significant effects indicate that gross returns without premiums varied for different categories of the explanatory variable.

Table S10. Sensitivity of organic-to-conventional effect sizes comparing net present values with premiums

Response	Crops/system		Crops/study		Systems	
	<i>F</i>	<i>P</i>	<i>F</i>	<i>P</i>	<i>F</i>	<i>P</i>
Crop type	3.38	0.0034	2.26	0.044	1.30	0.29
Continent	1.48	0.24	1.13	0.35	0.33	0.85
Study duration	1.82	0.18	1.27	0.31	2.45	0.098
Rotation length	2.97	0.041	3.84	0.016	2.03	0.13
Annual/perennial	7.06	0.0098	4.14	0.047	0.30	0.74
Legume/not legume	3.59	0.064	2.52	0.12	3.57	0.066
Study type	1.24	0.30	0.92	0.41	1.88	0.17
Time since conversion	0.30	0.74	0.17	0.85	1.00	0.39
Organic status	0.13	0.88	0.24	0.79	0.66	0.53
Crop diversity	2.78	0.11	1.89	0.18	3.11	0.059
Nitrogen input	0.61	0.55	0.43	0.66	1.72	0.25
Country development	1.30	0.26	0.91	0.35	3.14	0.087
Latitude	1.36	0.25	1.05	0.31	2.55	0.12
Study scale	0.88	0.35	0.63	0.44	0.98	0.33

Results of mixed-effects models testing the sensitivity of effect sizes (Hedges *d*) for net present values with premiums to 14 categorical variables associated with studies in the meta-analysis. Significant effects indicate that net present values with premiums varied for different categories of the explanatory variable.

Table S11. Sensitivity of organic-to-conventional effect sizes comparing benefit/cost ratios with premiums

	Crops/system		Crops/study		Systems	
Variable	<i>F</i>	<i>P</i>	<i>F</i>	<i>P</i>	<i>F</i>	<i>P</i>
Crop type	2.32	0.028	1.89	0.077	0.48	0.87
Continent	0.36	0.84	0.30	0.87	0.26	0.93
Study duration	1.07	0.38	0.97	0.42	0.41	0.75
Rotation length	2.86	0.043	3.48	0.024	2.21	0.099
Annual/perennial	1.10	0.30	0.63	0.43	0.075	0.93
Legume/not legume	3.65	0.060	2.63	0.11	1.07	0.35
Study type	0.67	0.52	0.57	0.57	0.53	0.59
Time since conversion	0.39	0.68	0.31	0.74	0.61	0.55
Organic status	0.42	0.66	0.45	0.64	0.084	0.92
Crop diversity	9.34	0.0037	7.89	0.0073	3.00	0.074
Nitrogen input	1.40	0.26	1.20	0.32	1.48	0.27
Country development	0.37	0.55	0.28	0.60	0.11	0.74
Latitude	1.07	0.31	0.93	0.34	1.31	0.26
Study scale	0.099	0.75	0.039	0.84	0.061	0.81

Results of mixed-effects models testing the sensitivity of effect sizes (log response-ratios) for benefit/cost ratios with premiums to 14 categorical variables associated with studies in the meta-analysis. Significant effects indicate that benefit/cost ratios with premiums varied for different categories of the explanatory variable.

Table S12. Sensitivity of differences between organic premiums awarded and breakeven premiums for organic net present values to match conventional net present values

	Crops/system		Crops/study		Systems	
Variable	<i>F</i>	<i>P</i>	<i>F</i>	<i>P</i>	<i>F</i>	<i>P</i>
Crop type	1.46	0.18	0.89	0.53	0.22	0.99
Continent	0.41	0.80	0.29	0.88	0.23	0.95
Study duration	2.53	0.087	2.58	0.12	0.60	0.62
Rotation length	4.31	0.0082	2.64	0.057	2.28	0.088
Annual/perennial	1.40	0.24	0.44	0.51	0.30	0.74
Legume/not legume	9.51	0.0028	5.47	0.022	0.35	0.71
Study type	0.68	0.51	0.43	0.65	0.63	0.53
Time since conversion	1.84	0.19	2.11	0.15	0.68	0.51
Organic status	0.016	0.98	0.062	0.94	0.11	0.89
Crop diversity	0.68	0.42	0.59	0.45	6.87	0.0020
Nitrogen input	1.41	0.29	1.43	0.25	1.07	0.38
Country development	0.49	0.49	0.45	0.51	0.0016	0.97
Latitude	1.21	0.28	0.80	0.38	0.93	0.34
Study scale	0.24	0.63	0.13	0.72	0.030	0.86

Results of mixed-effects models testing the sensitivity of differences in premiums awarded and premiums needed for organic net present values to break even with conventional net present values to 14 categorical variables associated with studies in the meta-analysis. Significant effects indicate that differences in premiums varied for different categories of the explanatory variable.

Dataset S1. Raw data for the crops per system classification

[Dataset S1](#)

The file contains data associated with each study that were used in the analysis of crops per system, including variables associated with each study, raw data on financial parameters, and effect size calculations.

Dataset S2. Raw data for the crops per study classification

[Dataset S2](#)

The file contains data associated with each study that were used in the analysis of crops per study, including variables associated with each study, raw data on financial parameters, and effect size calculations.

Dataset S3. Raw data for the systems classification

[Dataset S3](#)

The file contains data associated with each study that were used in the analysis of systems, including variables associated with each study, raw data on financial parameters, and effect size calculations.

Dataset S4. List of studies that were not suitable for the meta-analysis

[Dataset S4](#)

The file contains a list of studies that contained data on some aspects of conventional or financial performance but did not meet at least one of our inclusion criteria.

Dataset S5. References for studies in the meta-analysis

[Dataset S5](#)

The file contains a list of references associated with studies in the meta-analysis.