JAMA Internal Medicine | Original Investigation

Association of Industry Sponsorship With Outcomes of Nutrition Studies A Systematic Review and Meta-analysis

Nicholas Chartres, MHumNutr; Alice Fabbri, MD; Lisa A. Bero, PhD

IMPORTANCE Food industry sponsorship of nutrition research may bias research reports, systematic reviews, and dietary guidelines.

OBJECTIVE To determine whether food industry sponsorship is associated with effect sizes, statistical significance of results, and conclusions of nutrition studies with findings that are favorable to the sponsor and, secondarily, to determine whether nutrition studies differ in their methodological quality depending on whether they are industry sponsored.

DATA SOURCES OVID MEDLINE, PubMed, Web of Science, and Scopus from inception until October 2015; the reference lists of included reports.

STUDY SELECTION Reports that evaluated primary research studies or reviews and that quantitatively compared food industry-sponsored studies with those that had no or other sources of sponsorship.

DATA EXTRACTION Two reviewers independently extracted data from each report and rated its quality using the ratings of the Oxford Centre for Evidence-Based Medicine, ranging from a highest quality rating of 1 to a lowest of 5.

MAIN OUTCOMES AND MEASURES Results (statistical significance and effect size) favorable to the sponsor and conclusions favorable to the sponsor. If data were appropriate for meta-analysis, we used an inverse variance DerSimonian-Laird random-effects model.

RESULTS Of 775 reports reviewed, 12, with quality ratings ranging from 1 to 4, met the inclusion criteria. Two reports, with data that could not be combined, assessed the association of food industry sponsorship and the statistical significance of research results; neither found an association. One report examined effect sizes and found that studies sponsored by the food industry reported significantly smaller harmful effects for the association of soft drink consumption with energy intake and body weight than those not sponsored by the food industry. Eight reports, including 340 studies, assessed the association of industry sponsorship with authors' conclusions. Although industry-sponsored studies, the difference was not significant (risk ratio, 1.31 [95% CI, 0.99-1.72]). Five reports assessed methodological quality; none found an association with industry sponsorship.

CONCLUSIONS AND RELEVANCE Although industry-sponsored studies were more likely to have conclusions favorable to industry than non-industry-sponsored studies, the difference was not significant. There was also insufficient evidence to assess the quantitative effect of industry sponsorship on the results and quality of nutrition research. These findings suggest but do not establish that industry sponsorship of nutrition studies is associated with conclusions that favor the sponsors, and further investigation of differences in study results and quality is needed.

JAMA Intern Med. doi:10.1001/jamainternmed.2016.6721 Published online October 31, 2016.



Author Affiliations: Charles Perkins Centre, University of Sydney, Australia (Chartres, Fabbri, Bero); Faculty of Pharmacy, University of Sydney, Australia (Chartres, Fabbri, Bero).

Corresponding Author: Lisa A. Bero, PhD, University of Sydney, D17 Charles Perkins Centre Level 6, Sydney, NSW 2006, Australia (lisa.bero@sydney.edu.au). Dietary guidelines provide recommendations to reduce the risk of conditions such as obesity, diabetes, and cardiovascular disease. Even when dietary guidelines have been based on systematic reviews,¹ the evidence has been criticized for being biased² and guidelines contain conflicting recommendations.^{3,4} Recent scrutiny of the funding practices of transnational food companies⁵ has heightened concerns about the credibility of nutrition research and how sponsorship affects the findings.⁶⁻⁹ It is important to know whether funding source influences the statistical significance of the results or the effect sizes of nutrition studies and should, therefore, be considered when biases in these studies are assessed.¹⁰

Considerable evidence suggests that industry sponsorship of research is associated with outcomes that favor the sponsor.¹¹⁻¹⁴ Examinations of pharmaceutical and tobacco industry-sponsored research show that, even when controlling for methodological biases, industry-sponsored studies are more likely to have results that favor the sponsor's product than studies with other sources of sponsorship.^{11,15,16} Industry sponsors can influence the outcomes of a study in many ways, including the framing of the research questions, the design and conduct of the study, selective reporting of results, and "spin" on conclusions.¹⁷⁻¹⁹ Food companies appear to use tactics similar to those of the tobacco industry to influence research.^{13,20,21}

Prior assessments of the influence of industry sponsorship and conflicts of interest in nutrition research have had conflicting results.^{22,23} It is unclear whether studies of sponsorship bias in nutrition research have controlled for other potential biases, such as methodological quality, that could also influence research outcomes. We conducted a systematic review of studies examining the association of industry sponsorship with the statistical significance of results, effect sizes, and conclusions of nutrition research.

Our objectives were to determine whether (1) published nutrition studies with food industry sponsors are more likely to have results and/or conclusions that are favorable to the industry and (2) published nutrition studies sponsored by industry differ in their methodological quality compared with studies with other or no sponsors.

Methods

Inclusion and Exclusion Criteria

This review includes published reports that were designed to quantitatively compare food industry- and non-food industrysponsored samples of primary nutrition research studies (such as cohort studies) or reviews. We excluded conference presentations, opinion pieces, and letters to the editor. We had no language restrictions.

Primary Outcomes

We hypothesized that studies with food industry sponsorship would be more likely to have favorable results and conclusions than those without industry sponsorship. We assessed 2 primary outcomes: **Question** Is food industry sponsorship of nutrition studies associated with outcomes that favor the sponsor?

Findings This systematic review and meta-analysis examined 12 reports and found that 8, which included 340 studies, could be combined in a meta-analysis. Although industry-sponsored studies were more likely to have conclusions favorable to industry than non-industry-sponsored studies, the difference was not significant. There was also insufficient evidence to assess the quantitative effect of industry sponsorship on the results and quality of nutrition research.

Meaning These findings suggest but do not establish that industry sponsorship of nutrition studies is associated with conclusions that favor the sponsors, and further investigation of differences in study results and quality is needed.

Results (Statistical Significance and Effect Size) Favorable to the Sponsor

For studies of health benefits, favorable results were defined as those that were statistically significant (eg, P < .05 or 95% confidence interval excluding the possibility of no difference) in favor of the sponsor's product(s) or diet. For studies of harms, favorable results were defined as those in which harms were not statistically significant (eg, P > .05 or 95% confidence interval including the possibility of no difference) or results had a statistically significant measure of harm in the comparator group.

We also determined whether each report assessed the magnitude of effect size estimates as an outcome. The effect size measures the standardized mean difference between groups; an effect size of 0 means that there is no difference. Because the effect size is a measure of the magnitude of an effect, it can be compared across different outcome measures.

Conclusions Favorable to the Sponsor

Conclusions that suggested that the nutrition intervention or exposure being studied was beneficial to health and/or safe were considered favorable to the study sponsor. Otherwise, the conclusions were considered unfavorable.

Secondary Outcome

We determined whether each report compared the methodological quality of industry- vs non-industry-sponsored studies.

Search Strategy

We searched Ovid MEDLINE, PubMed, Web of Science, and Scopus (inception to October 2015) (eMethods in the Supplement). We hand-searched the reference lists of all included reports to identify any additional relevant reports that the electronic searches missed.

Selection of Studies

Two investigators (N.C. and L.A.B.) independently screened the titles and abstracts of all retrieved records for obvious exclusions and then applied our inclusion criteria to the full text of the remaining reports. Any discrepancies were resolved by consensus. Reasons for exclusion are presented in eTable 1 in the Supplement.

Data Extraction

Two assessors (N.C. and A.F.) independently extracted data from each included report; a third assessor (L.A.B.) adjudicated any disagreements. We contacted the authors of 2 reports to acquire missing data.

Rating System to Evaluate the Quality of Evidence

Two investigators (N.C. and L.A.B.) independently rated the quality of the included reports using the Oxford Centre for Evidence-based Medicine ratings, with a highest rating of 1 to a lowest of 5. The quality ratings are as follows: 1, properly powered and conducted randomized clinical trial; systematic review with meta-analysis; 1a, systematic review without meta-analysis; 2, well-designed controlled trial without randomization; prospective comparative cohort trial; 3, case-control studies; retrospective cohort study; 4, case series with or without intervention; cross-sectional study; 5, opinion of respected authorities; case reports.²⁴

Statistical Analysis

To test our hypothesis that studies with food industry sponsorship would be more likely to have favorable conclusions than those without industry sponsorship, we conducted a metaanalysis using Review Manager 5.3 software (Cochrane Collaboration). We assessed statistical heterogeneity using the I^2 statistic, a statistic that quantifies the variability in effect estimates that is due to heterogeneity rather than chance. Because heterogeneity was substantial (defined as an $I^2 > 50\%$), we used an inverse variance DerSimonian-Laird random-effects model for the metaanalysis. Due to the lack of homogeneous data on statistical significance of results or effect size, we could not quantitatively synthesize data (ie, conduct a meta-analysis) on these outcomes.

Results

Search Results and Characteristics of Included Reports

As shown in **Figure 1**, 775 references were identified and 12 reports met the inclusion criteria.

Table 1 summarizes the characteristics of the included reports. The quality of the reports ranged from 1 to 4. The 12 reports were published between 2003 and 2014. The median number of included studies was 68.5 (range, 17-2539). Four reports included randomized controlled trials (RCTs) only, 2 included reviews only, and 6 included a mix of study designs. Four reports focused on the effects of sugar-sweetened beverage consumption, and 4 focused on a broad range of interventions to reduce obesity.

The reports defined industry sponsorship in different ways (Table 1). Nine reports examined associations of industry sponsorship and reported outcomes. Three reports examined both industry sponsorship and author conflicts of interest together, while 1 of these examined industry sponsorship and author conflicts of interest separately. Original Investigation Research





The most commonly studied outcome was the association of industry sponsorship with conclusions (8 reports); 5 reports assessed only conclusions. eTable 2 in the Supplement shows how conclusions that were favorable to the sponsor were defined and measured in the reports. Only 1 report assessed the association of industry sponsorship with effect size estimates, and 2 measured the association with statistical significance of the results.

Of the 12 reports, 1 was industry funded and 8 were not; 1 report had no external funding, and for 2 reports funding was not disclosed (**Table 2**). Authors of 3 reports had financial ties to the food industry; for 6 reports, the authors stated that they had no conflicts of interest and for 3 reports author conflicts of interest were not disclosed.

Methodological quality was assessed in 5 reports using a variety of definitions and tools (**Table 3**).

Summary of Findings

Statistical Significance: Industry-Sponsored vs Non-Industry-Sponsored Studies

Neither of the 2 reports that examined the association between industry sponsorship and the statistical significance of results found an association. Both of these reports were systematic reviews (quality rating 1a). The results of the reports could not be combined because they measured statistical significance in different ways (per study vs all individual outcomes). One report containing 70 RCTs measuring the efficacy and harm of synbiotics, probiotics, and prebiotics (foods or supplements that aim to stimulate the growth of beneficial gut bacteria) found no significant association between funding source and statistically significant results for 7 of the 8 clinical outcomes examined. Overall, industry-sponsored studies reported 20.6% (73 of 354) of all clinical outcomes as favorable compared with non-industry-sponsored studies, which reported 16.7% (9 of 54) as favorable.²⁹ The second report, examining 19 RCTs assessing calcium supplementation in healthy

jamainternalmedicine.com

Table 1. Characteristics of	the 12 Reports				
Source	No. and Type of Studies	Quality Rating ^a	Topic	Comparison as Defined in Included Study	Outcomes Measured
Bes-Rastrollo et al, ²² 2013	17 Systematic reviews	1	Effect of sugar-sweetened beverage consumption on weight gain or obesity	COI with food industry (financial industry funding or the disclosure of potential COIs of the authors) vs no COI with food industry (combined industry sponsorship and author COI)	Conclusions
Diels et al, ²³ 2011	94 Intervention, composition, or simulation studies	1a	Health risks and nutritional value of genetically modified foods	COI with food industry (funding COI, ≥ 1 sponsor classified as industry or professional COI, ≥ 1 of the authors is affiliated with industry) vs no COI with food industry (combined industry sponsorship and author COI) ^b	Conclusions
Kaiser et al, ²⁵ 2012	38 RCTs	m	Quality reporting scores in obesity and nutrition RCTs	Industry sponsorship (industry-funded studies plus mixed funding) vs no industry sponsorship (non-industry-funded studies plus private foundation or governmental funding)	Quality
Lesser et al, ²⁶ 2007	206 Interventional studies, observational studies, and reviews	la	Health effects of soft drink, juice, and milk consumption	Industry sponsorship (articles funded entirely by industry) vs no industry sponsorship	Conclusions
Levine et al, ²⁷ 2003	67 Research articles and reviews	4	Safety and efficacy of the fat substitute olestra	COI with food industry (articles with ≥1 P&G author or acknowledged P&G support or articles with ≥1 non-P&G food industry author or acknowledged non-P&G food industry support) vs no COI with food industry (combined industry sponsorship and author COI)	Conclusions
Massoug-bodji et al, ²⁸ 2014	20 Reviews—systematic, nonsystematic, and meta-analysis	la	Effect of sugar-sweetened beverage consumption on body weight	Industry sponsorship (industry funded) vs no industry sponsorship	Conclusions, quality
Mugambi et al, ²⁹ 2013	67 Completed and 3 ongoing RCTs	la	The efficacy and safety of synbiotic, probiotic, and prebiotic supplementation in infant formula	Industry sponsorship (industry funding or support) vs no industry sponsorship (nonindustry funding; this did not include articles with no funding or for which the funding source was unclear)	Results, conclusions, quality
Myers et al, ³⁰ 2011	2539 Interventional and observational studies and reviews	m	Research report quality of nutrition research	Industry sponsorship (industry funding; this category contained food manufacturing companies [n = 100], pharmaceutical companies [n = 81], commodity groups [n = 13], and other funders [n = 17]) vs no industry prostorship (comparisons were made in research report quality between government, university/hospital, and nonprofit, separately)	Quality
Nkansah et al, ³¹ 2009	19 RCTs	1a	Calcium supplementation and bone health in children	Industry sponsorship (industry funding/mixed funding, including nutritional supplement industry) vs no industry sponsorship	Results, conclusions
Thomas et al, ³² 2008	63 RCTs	m	Quality reporting in long-term interventions to reduce obesity	Industry sponsorship (industry supported; industry was listed as funding the study, an author was employed by a for-profit company making the product or service under study, or both; rist category contained drug industry-sponsored studies; only data from the non-drug industry-sponsored studies were included in our analysis) vs no industry sponsorship (no industry support was noted in the article, and no author was an employee of a for-profit company making the product or service under study)	Quality
Vartanian et al, ³³ 2007	88 RCTs and observational studies, analyzed separately	1	Association of soft drink consumption with nutrition and health outcomes	Industry sponsorship (funded by the food industry) vs no industry sponsorship	Results (effect size)
Wilde et al, ³⁴ 2012	79 Observational studies, interventional studies, and reviews	m	Obesity-related research	Industry sponsorship (financial sponsorship from the federal government's semipublic generic commodity promotion or "checkoff" programs for Fluid Milk and Dairy) vs no industry sponsorship (financial sponsorship from the National Institutes of Health)	Conclusions
Abbreviations: COI, conflict	of interest; P&G, Proctor & Gamble; R	CT, randomized	clinical trial.	4 = case series with or without intervention; cross-sectional study; 5 = opinion of	espected authorities; case
^a Quality ratings: 1 = proper! meta-analysis; 1a = system randomization; prospectiv	y powered and conducted randomized atic review without meta-analysis; 2 = e comparative cohort trial; 3 = case-cc	d clinical trial; sy • well-designed (ontrol study; reti	stematic review with controlled trial without ospective cohort study;	eport. This review also separated funding COI and professional COI in their analysis.	

E4 JAMA Internal Medicine Published online October 31, 2016

Source	Funding Source	Disclosed Author Conflicts of Interest
Bes-Rastrollo et al, ²² 2013	None	None
Diels et al, ²³ 2011	None disclosed	None disclosed
Kaiser et al, ²⁵ 2012	Nonindustry (supported in part by NIH grant)	Yes (Dr Allison has received grants, honoraria, donations, royalties, and consulting fees from numerous publishers, food, beverage, pharmaceutical companies, and other commercial and nonprofit entities with interests in obesity and randomized controlled trials)
Lesser et al, ²⁶ 2007	Nonindustry (supported by a grant from the Charles H. Hood Foundation and discretionary funds from the Department of Medicine, Children's Hospital Boston, to David S. Ludwig)	None
Levine et al, ²⁷ 2003	Nonindustry (funded by J. Levine and J. D. Gussow)	Yes (minor) (A. Eccher has provided statistical expertise on market research studies for food companies)
Massoug- bodji et al, ²⁸ 2014	Nonindustry (Yann Le Bodo was supported by a development grant from the Foundation Lucie et André Chagnon; Yann Le Bodo received an educational grant from the Fonds de Recherche du Québec–Société et Culture)	None
Mugambi et al, ²⁹ 2013	Nonindustry (Stellenbosch University Faculty of Medicine and Health Sciences, South Africa)	None
Myers et al, ³⁰ 2011	Industry (North American Branch of the International Life Sciences Institute [which receives food industry sponsorship])	None
Nkansah et al, ³¹ 2009	Nonindustry (supported in part by funding through the California Tobacco-Related Disease Research Program grant entitled "Corporate Strategies: Design, Conduct, Publication of Research 2004 [Cycle XIII] 13RT-0108H" awarded to Lisa Bero)	None
Thomas et al, ³² 2008	Nonindustry (supported in part by NIH grant)	Yes (David B. Allison has received grants, honoraria, consulting fees, and donations from numerous food, pharmaceutical, and other companies as well as on-profit [sic] organizations and government agencies with interests in obesity-related issues)
Vartanian et al, ³³ 2007	Nonindustry (supported in part by the Rudd Foundation)	None disclosed
Wilde et al, ³⁴ 2012	None disclosed	None disclosed

Table 2. Funding Sources and Author Conflicts of Interest in the 12 Reports

children, found that there was insufficient variability in the study results to measure any association between study sponsorship and results; almost all study results found a statistically significant improvement in bone health outcomes.³¹

Effect Size: Industry-Sponsored vs Non-Industry-Sponsored Studies Only 1 report including 88 observational studies and RCTs examining sugar-sweetened beverages and various health outcomes assessed the relationship between industry sponsorship and effect size.³³ The report was a systematic review that analyzed RCTs and observational studies in separate metaanalyses (quality rating 1). For the harmful outcome of energy intake, overall effect size was smaller in industrysponsored (r = 0.05; 95% CI, 0.04-0.07) compared with nonindustry-sponsored (r = 0.23; 95% CI, 0.22-0.24; P < .006) studies, and for the outcome of body weight, effect size was also smaller in industry-sponsored (r = 0.02; 95% CI, 0.01-0.04) vs non-industry-sponsored (r = 0.10; 95% CI, 0.09-0.11; P < .006) studies. However, no significant difference in effect size was observed among RCTs.

Conclusions: Industry-Sponsored

vs Non-Industry-Sponsored Studies

Eight reports, including 340 studies, examined the association of sponsorship and conclusions, and all could be combined in a meta-analysis (Figure 2). Although industry-sponsored stud-

ies were more likely to have favorable conclusions than nonindustry-sponsored studies, the difference was not significant (risk ratio [RR], 1.31; 95% CI, 0.99-1.72).

We conducted 2 additional analyses to explore heterogeneity. Two of the 8 reports defined industry sponsorship as a combination of study sponsorship and author conflicts of interest, and these could not be separated for analysis.^{22,27} We conducted a sensitivity analysis excluding these 2 reports and found similar results (RR, 1.20; 95% CI, 0.93-1.54; $I^2 = 42\%$). In addition, 2 reports included only reviews and not primary research studies.^{22,28} Exclusion of these from the analysis produced similar results (RR, 1.11; 95% CI, 0.92-1.34; $I^2 = 5\%$).

One report, with quality rating 1a, examined the association of author conflicts of interest and conclusions.²³ This report examined the health risks and nutritional value of genetically modified foods and found a significant association between author conflicts of interest and favorable study conclusions; 100% (41 of 41) of studies with author conflicts of interest reached favorable conclusions, compared with 76% (39 of 51) without author conflicts of interest (RR, 1.31; 95% CI, 1.12-1.52).

Methodological Quality: Industry-Sponsored vs Non-Industry-Sponsored Studies

Five reports compared the methodological quality of industrysponsored with non-industry-sponsored studies (Table 3). No reports examined the association of authors' conflicts of

jamainternalmedicine.com

Table 3. Summary of Assessments of Methodological Quality in Five Reports

Report	Instrument Used	Findings
Kaiser et al, ²⁵ 2012	Chalmers method ^a	Equal quality: mean (SD) overall Chalmers Index quality score (out of 100): industry sponsorship, 84.5 (7.04) vs no industry sponsorship, 79.4 (13.00); Wilcoxon matched-pairs signed-rank test z = -0.966, P = .33 (2 tailed)
Massougbodji et al, ²⁸ 2014	AMSTAR ^b and the QCC for reviews ^c	Equal quality: no study comparison, only a statement "quality scores were not related to the source of funding"
Mugambi et al, ²⁹ 2013	The Cochrane Collaboration's tool for assessing risk of bias in RCTs ^d	Equal quality: There was no statistical association found between funding and methodological quality in 4 of 6 domains; industry-sponsored studies were at a lower risk of bias for missing data than non-industry-sponsored studies
Myers et al, ³⁰ 2011	QCC for Primary Research ^c and QCC for Review Research ^c	Equal quality: industry-sponsored research reports no more likely to receive a neutral (OR, 1.38; 95% CI, 0.98-1.95) or negative quality rating (OR, 1.90; 95% CI, 0.95-3.81) vs government-sponsored research (reference; OR, 1.00)
Thomas et al, ³² 2008	CONSORT Statement ^e	Equal quality: industry sponsorship (nondrug studies only) vs no industry sponsorship: estimated mean difference, 2.31 (95% CI, 0.70-5.31; P = .13)

Abbreviations: OR, odds ratio; QCC, Quality Checklist Criteria; RCT, randomized clinical trial.

- ^a Chalmers Method: produces a weighted score for RCT quality that assesses the study protocol (with randomization and blinding weighted most heavily), statistical analysis, and presentation of results. Points are awarded for the quality of reporting of trial information, not the quality of the study design itself.³⁵
- ^b Assessment of Multiple Systematic Reviews (AMSTAR): calculates a quality score for reviews based on review design, research strategy, selection of articles, data abstraction process, assessment of the scientific quality of the studies included in the review, evaluation of publication bias, or mention of possible conflicts of interest. The maximum score is 9 for a qualitative systematic review and 11 for a meta-analysis.³⁶
- ^c Quality Checklist Criteria for primary research and for reviews: These tools were developed by the American Dietetic Association for assessing nutrition studies. Both tools include a mix of questions about reporting (eg, were

statistical tests adequately described?) and how a study was conducted (eg, were statistical tests appropriate?). The QCC for primary research calculates a score based on questions related to 10 domains (eg, subject selection, blinding, outcomes, analysis) and the QCC for reviews calculates a score based on questions related to 10 domains (eg, search strategy, study selection, analysis).³⁷

- ^d The Cochrane Risk of Bias tool for RCTs rates each of the following domains—sequence generation, allocation concealment, blinding of participants and personnel, blinding of outcome assessment, incomplete outcome data, selective outcome reporting, and "other issues"—as being at a high risk of bias, low risk of bias, or unclear risk of bias. An overall score is not calculated.³⁸
- ^e Consolidated Standards of Reporting Trials (CONSORT): This 25-item checklist describes what should be reported in an RCT in the following sections: title/abstract, introduction, methods, results, discussion.^{39,40}

Figure 2. Conclusions Favorable to Industry in Industry- vs Non-Industry-Sponsored Studies: Meta-Analysis

	Industry Sponsored		Not Industry Sponsored			Favors Less	Favors More Favorable Conclusions	
Source	No. of Events	Total No.	No. of Events	Total No.	Risk Ratio (95% CI)	in Industry-Sponsored Studies	in Industry-Sponsored Studies	Weight, %
Bes-Rastrollo et al, ²² 2013	5	6	2	12	5.00 (1.34-18.62)		→	3.9
Diels et al, ²³ 2011	6	7	26	36	1.19 (0.82-1.71)	-		19.7
Lesser et al, ²⁶ 2007	15	24	24	52	1.35 (0.88-2.08)	-		17.5
Levine et al, ²⁷ 2003	28	38	2	4	1.47 (0.54-4.00)			6.1
Massougbodji et al, ²⁸ 2014	3	4	4	16	3.00 (1.08-8.32)			5.9
Mugambi et al, ²⁹ 2013	32	37	7	11	1.36 (0.85-2.16)	-		16.3
Nkansah et al, ³¹ 2009	13	16	2	3	1.22 (0.53-2.81)			8.1
Wilde et al, ³⁴ 2012	40	58	13	16	0.85 (0.63-1.14)			22.5
Total events	142	190	80	150	1.31 (0.99-1.72)		\diamond	100.0
Heterogeneity: $\tau^2 = 0.07$; $\chi^2 = 13.67$, df = 7 (P = .06); l ² = 49% Test for overall effect: z = 1.89 (P = .06)						0.1 1	.0 10	
Events = Number of included studie Total = Total number of either indu	Risk Rati	o (95% CI)						

Because heterogeneity was substantial (defined as an I² > 50%), we used an inverse variance DerSimonian-Laird random-effects model for the meta-analysis.

interest with methodological quality. One report assessed risk of bias of the included studies using Cochrane methodology³⁸ and found that there was no significant association of industry sponsorship and random sequence generation, allocation concealment, blinding, or selective reporting.²⁹ Industrysponsored studies had significantly less missing data than nonindustry-sponsored studies.³⁸ Three reports used different tools to assess methodological quality using a score (eg, primary and review Quality Criteria Checklist and Chalmers method) (Table 3) and found no differences in quality scores between industry- and non-industry-sponsored studies.^{25,28,30} One report measured quality using Consolidated Standards of Reporting Trials (CONSORT) and found that reporting was equivalent, regardless of funding.³² However, CONSORT is a guideline for reporting trials and does not assess how they are actually conducted or the means to reduce bias.^{39,40}

Discussion

Our review identifies a gap in empirical evidence on the association of industry sponsorship or authors' conflicts of interest and the outcomes of nutrition research. The majority of the reports examined only the effects of sponsorship on conclusions. Influence on conclusions is important to study because the relationship between industry sponsorship and conclusions favorable to the study sponsor has been previously demonstrated in tobacco,¹³ pharmaceutical,¹¹ and environmental toxin research.⁴¹ Spin on conclusions, which has been identified as a tactic used in other industries,^{16,42} can influence how research is interpreted^{19,42} and can undermine the credibility of research reports. From the standpoints of developing systematic reviews, dietary guidelines, and other evidence-based advice, the results are more relevant than the conclusions; for example, only the results are included in systematic reviews.

Our findings suggest that there is insufficient evidence to assess the quantitative effect of industry sponsorship on the results of nutrition research and, thus, account for this bias in systematic reviews. The 2 reports that assessed the association of sponsorship and the statistical significance of research results found no association.^{29,31} This may be because there was insufficient power to compare industry- and nonindustry-sponsored studies, as most of the studies were industry sponsored. In addition, funding sources of nutrition studies are often not disclosed.⁵ Improved disclosure of funding sources and larger samples for analysis should make it possible to assess the association of funding source with statistical significance of study results, as well as effect sizes. It is important to determine whether industry sponsorship affects the results of nutrition research, as has been shown for pharmaceutical industry funding of drug research.¹¹

Food Industry Sponsorship and Methodological Quality

Our review found that industry-sponsored studies were of equal or better quality than those with other funding sources. However, methodological quality was usually measured using tools that derived quality scores. The use of quality scores can be problematic because the choice of scale can influence the results of meta-analyses. Individual study domains should be assessed instead.⁴³ These findings are consistent with previous examinations of pharmaceutical and tobacco research showing that industry-sponsored studies are of equal or better quality than non-industry-funded studies.^{11,15,44}

Industry sponsorship can influence research results in a variety of ways. Methodological quality is only one characteristic that can influence study outcomes. Sponsors can also frame research questions to produce a desirable outcome or to generate research that diverts attention from certain questions. For example, the tobacco industry funded research on the adverse health effects of indoor air components other than tobacco smoke to distract from the evidence on harms associated with environmental tobacco smoke exposure.¹⁵ Sponsors can influence how the study is actually conducted and whether the results of the study are published in full or not.⁴⁵ Although industry sponsorship has been associated with selective reporting of research outcomes that favor the sponsor,⁴⁶ this practice was not assessed in any of the reports that we reviewed. The association of research sponsorship with the design and reporting of nutrition research should be examined.

Strengths and Limitations of the Review

We conducted a comprehensive search and followed explicit and well-defined inclusion and exclusion criteria for the reports. Authors of reports were also contacted for additional data. We reported on all outcomes and rated the quality of all the reports that we included.

The limited number of studies that met our inclusion criteria prevented the conduct of statistical analyses of the relationship between industry sponsorship and study results. We could not quantitatively synthesize data for all outcomes because the reports were heterogeneous. They included different topics and designs of studies and classified industry sponsorship in different ways. In addition, we only included data on sponsorship that was disclosed, and did not seek to identify industry funding or other associations that were not disclosed in the publications.

Implications

The scrutiny of the funding practices of large transnational food companies^{6,7} has threatened the credibility of nutrition research and researchers.⁵ However, without empirical work examining the association of industry sponsorship with the results of nutrition research, researchers, policy makers, and the public have no way of quantifying and understanding the extent of industry influence on the data. It is challenging to rigorously assess the association of industry sponsorship with research outcomes. The quality of the reports that we examined varied. Research to quantify the influence of industry sponsorship on effect estimates can be improved by obtaining complete and accurate data on sponsors of research and conflicts of interest of sponsors and authors, and focusing on specific research questions and study designs. Thus, bias in study methods, as well as bias related to sponsorship, can be measured.

Most of the studies included in our review focused on sponsorship by large transnational food companies. However, conflicts of interest in nutrition research are complex because they encompass more than financial relationships with the manufacturers of the food products being tested.⁴⁷ For example, there is a conflict of interest if an investigator receives royalties from selling his or her own dietary advice. In addition, trade organizations representing different food groups also sponsor nutrition research.^{48,49} Therefore, it is important to know whether the extent and mechanisms of bias are similar across different types of sponsors.

Previous research documenting the influence of industry sponsorship on research in other health-related fields has led to international reforms to make data more accessible, conflicts of interest and funding more transparent, and to calls for stricter standards and policies for managing conflicts of interest, critiquing and reporting evidence, and conducting systematic reviews.^{10,50,51} Similar research is needed to help refine methods for evaluating studies used in systematic reviews that form the basis of dietary guidelines. Such research should also determine whether (1) biases associated with industry conflicts of interest necessitate policies for disclosure and management similar to those now widely accepted in clinical research; (2) mechanisms to reduce publication bias, such as study registries or open access data, should be considered for

jamainternalmedicine.com

sponsored studies, the difference was not significant. There

nutrition studies; and (3) research agendas should be revised to produce studies that are relevant to population health.

Conclusions

Although industry-sponsored studies were more likely to have conclusions favorable to industry than non-industry-

ARTICLE INFORMATION

Accepted for Publication: September 12, 2016.

Published Online: October 31, 2016. doi:10.1001/jamainternmed.2016.6721

Authors Contributions: Dr Bero had full access to all the data in the study and takes responsibility for the integrity of the data and the accuracy of the data analysis.

Study concept and design: Chartres, Bero. *Acquisition, analysis, or interpretation of data:* All authors.

Drafting of the manuscript: Chartres. Critical revision of the manuscript for important intellectual content: All authors. Statistical analysis: Chartres, Bero. Study supervision: Bero.

Conflict of Interest Disclosures: Mr Chartres has received a scholarship (James Milner PhD scholarship) from the University of Sydney. Dr Fabbri has received a scholarship from the University of Insubria (Varese, Italy). No other disclosures are reported.

Additional Contributions: We thank Lorraine Evison, University of Sydney, for advice on the search strategy and Quinn Grundy, PhD, and Barbara Mintzes, PhD, University of Sydney; Andreas Lundh, MD, PhD, Odense University Hospital and University of Southern Denmark; and Marion Nestle, DrPH, New York University, for comments on the manuscript. They received no compensation for these contributions.

REFERENCES

1. US Department of Health and Human Services, US Department of Agriculture (USDA). 2015-2020 Dietary guidelines for Americans. Washington, DC: USDA; December 2015.

2. Teicholz N. The scientific report guiding the US dietary guidelines: is it scientific? *BMJ*. 2015;351: h4962.

3. Public Health England. The Eatwell Guide. March 17, 2016. https://www.gov.uk/government /publications/the-eatwell-guide. Accessed March 18, 2016.

4. Revised Eatwell plate is baffling and disappointing, says Dairy UK [news release]. London, England: Dairy UK; March 17, 2016. http: //www.dairyuk.org/media-area/press-releases /item/revised-eatwell-plate-is-baffling-and -disappointing-says-dairy-uk. Accessed May 4, 2016.

5. Nestle M. Corporate funding of food and nutrition research: science or marketing? *JAMA Intern Med*. 2016;176(1):13-14.

6. O'Connor A. Coke spends lavishly on pediatricians and dietitians. September 28, 2015. http://well.blogs.nytimes.com/2015/09/28/coke -spends-lavishly-on-pediatricians-and-dietitians/. Accessed November 3, 2015.

7. O'Connor A. Coca-Cola funds scientists who shift blame for obesity away from bad diets. August 9, 2015. http://well.blogs.nytimes.com/2015/08/09 /coca-cola-funds-scientists-who-shift-blame-for -obesity-away-from-bad-diets/. Accessed November 3, 2015.

8. Our commitment to transparency: transparency: search results. Coca-Cola Co website. 2015. http: //transparency.coca-colacompany.com /transparency-search. Accessed March 3, 2016.

9. Mercadé R. Our commitment to transparency: our actions to be transparent. Coca-Cola Co website. March 3, 2016. http://transparency.coca -colajourney.com.au/. Accessed March 21, 2016.

10. Bero LA. Why the Cochrane risk of bias tool should include funding source as a standard item. *Cochrane Database Syst Rev.* 2013;(12):ED000075.

11. Lundh A, Sismondo S, Lexchin J, Busuioc OA, Bero L. Industry sponsorship and research outcome. *Cochrane Database Syst Rev*. 2012;12: MR000033.

12. Huss A, Egger M, Hug K, Huwiler-Müntener K, Röösli M. Source of funding and results of studies of health effects of mobile phone use: systematic review of experimental studies. *Cien Saude Colet*. 2008;13(3):1005-1012.

13. Barnes DE, Bero LA. Why review articles on the health effects of passive smoking reach different conclusions. *JAMA*. 1998;279(19):1566-1570.

14. Shrader-Frechette K. Climate change, nuclear economics, and conflicts of interest. *Sci Eng Ethics*. 2011;17(1):75-107.

15. Barnes DE, Bero LA. Industry-funded research and conflict of interest: an analysis of research sponsored by the tobacco industry through the Center for Indoor Air Research. *J Health Polit Policy Law.* 1996;21(3):515-542.

16. Yank V, Rennie D, Bero LA. Financial ties and concordance between results and conclusions in meta-analyses: retrospective cohort study. *BMJ*. 2007;335(7631):1202-1205.

17. Lexchin J. Those who have the gold make the evidence: how the pharmaceutical industry biases the outcomes of clinical trials of medications. *Sci Eng Ethics*. 2012;18(2):247-261.

18. Sismondo S. How pharmaceutical industry funding affects trial outcomes: causal structures and responses. *Soc Sci Med.* 2008;66(9):1909-1914.

19. Boutron I, Dutton S, Ravaud P, Altman DG. Reporting and interpretation of randomized controlled trials with statistically nonsignificant results for primary outcomes. *JAMA*. 2010;303(20): 2058-2064.

was also insufficient evidence to assess the quantitative effect of industry sponsorship on the results and quality of nutrition research. These findings suggest but do not establish that industry sponsorship of nutrition studies is associated with conclusions that favor the sponsors, and further investigation of differences in study results and quality is needed.

20. Brownell KD, Warner KE. The perils of ignoring history: Big Tobacco played dirty and millions died. how similar is Big Food? *Milbank Q*. 2009;87(1): 259-294.

21. Moodie R, Stuckler D, Monteiro C, et al; Lancet NCD Action Group. Profits and pandemics: prevention of harmful effects of tobacco, alcohol, and ultra-processed food and drink industries. *Lancet*. 2013;381(9867):670-679.

22. Bes-Rastrollo M, Schulze MB, Ruiz-Canela M, Martinez-Gonzalez MA. Financial conflicts of interest and reporting bias regarding the association between sugar-sweetened beverages and weight gain: a systematic review of systematic reviews. *PLoS Med*. 2013;10(12):e1001578.

23. Diels J, Cunha M, Manaia C, Sabugosa-Madeira B, Silva M. Association of financial or professional conflict of interest to research outcomes on health risks or nutritional assessment studies of genetically modified products. *Food Policy*. 2011;36(2):197-203.

24. Oxford Centre for Evidence-based Medicine. Levels of evidence. http://www.cebm.net/oxford -centre-evidence-based-medicine-levels-evidence -march-2009/. Accessed September 9, 2016.

25. Kaiser KA, Cofield SS, Fontaine KR, et al. Is funding source related to study reporting quality in obesity or nutrition randomized control trials in top-tier medical journals? *Int J Obes (Lond)*. 2012; 36(7):977-981.

26. Lesser LI, Ebbeling CB, Goozner M, Wypij D, Ludwig DS. Relationship between funding source and conclusion among nutrition-related scientific articles. *PLoS Med*. 2007;4(1):e5.

27. Levine J, Gussow JD, Hastings D, Eccher A. Authors' financial relationships with the food and beverage industry and their published positions on the fat substitute olestra. *Am J Public Health*. 2003; 93(4):664-669.

28. Massougbodji J, Le Bodo Y, Fratu R, De Wals P. Reviews examining sugar-sweetened beverages and body weight: correlates of their quality and conclusions. *Am J Clin Nutr.* 2014;99(5):1096-1104.

29. Mugambi MN, Musekiwa A, Lombard M, Young T, Blaauw R. Association between funding source, methodological quality and research outcomes in randomized controlled trials of synbiotics, probiotics and prebiotics added to infant formula: a systematic review. *BMC Med Res Methodol.* 2013; 13:137.

30. Myers EF, Parrott JS, Cummins DS, Splett P. Funding source and research report quality in nutrition practice-related research. *PLoS One*. 2011; 6(12):e28437.

31. Nkansah N, Nguyen T, Iraninezhad H, Bero L. Randomized trials assessing calcium supplementation in healthy children: relationship between industry sponsorship and study outcomes. *Public Health Nutr*. 2009;12(10):1931-1937. **32**. Thomas O, Thabane L, Douketis J, Chu R, Westfall AO, Allison DB. Industry funding and the reporting quality of large long-term weight loss trials. *Int J Obes (Lond)*. 2008;32(10):1531-1536.

33. Vartanian LR, Schwartz MB, Brownell KD. Effects of soft drink consumption on nutrition and health: a systematic review and meta-analysis. *Am J Public Health*. 2007;97(4):667-675.

34. Wilde P, Morgan E, Roberts J, Schpok A, Wilson T. Relationship between funding sources and outcomes of obesity-related research. *Physiol Behav*. 2012;107(1):172-175.

35. Chalmers TC, Smith H Jr, Blackburn B, et al. A method for assessing the quality of a randomized control trial. *Control Clin Trials*. 1981;2(1):31-49.

36. Shea BJ, Grimshaw JM, Wells GA, et al. Development of AMSTAR: a measurement tool to assess the methodological quality of systematic reviews. *BMC Med Res Methodol*. 2007;7:10.

37. Academy of Nutrition and Dietetics. Evidence Analysis Manual. https://www.andeal.org/evidence -analysis-manual. Accessed September 7, 2016.

38. Higgins JPT, Green S, eds. Cochrane Handbook for Systematic Reviews of Interventions Version 5.1.0. The Cochrane Collaboration; 2011. http://handbook.cochrane.org/. Accessed March 25, 2016. **39**. Altman DG, Schulz KF, Moher D, et al; CONSORT GROUP (Consolidated Standards of Reporting Trials). The revised CONSORT statement for reporting randomized trials: explanation and elaboration. *Ann Intern Med*. 2001;134(8):663-694.

40. Consolidated Standards of Reporting Trials. CONSORT: transparent reporting of trials. 2009. http://www.consort-statement.org. Accessed September 7, 2016.

41. Bero L, Anglemyer A, Vesterinen H, Krauth D. The relationship between study sponsorship, risks of bias, and research outcomes in atrazine exposure studies conducted in non-human animals: systematic review and meta-analysis. *Environ Int*. 2016;92-93:597-604.

42. Vera-Badillo FE, Shapiro R, Ocana A, Amir E, Tannock IF. Bias in reporting of end points of efficacy and toxicity in randomized, clinical trials for women with breast cancer. *Ann Oncol*. 2013;24(5): 1238-1244.

43. Jüni P, Witschi A, Bloch R, Egger M. The hazards of scoring the quality of clinical trials for meta-analysis. *JAMA*. 1999;282(11):1054-1060.

44. Cho MK, Bero LA. The quality of drug studies published in symposium proceedings. *Ann Intern Med.* 1996;124(5):485-489.

45. Odierna DH, Forsyth SR, White J, Bero LA. The cycle of bias in health research: a framework and

toolbox for critical appraisal training. *Account Res.* 2013;20(2):127-141.

46. Vedula SS, Bero L, Scherer RW, Dickersin K. Outcome reporting in industry-sponsored trials of gabapentin for off-label use. *N Engl J Med*. 2009; 361(20):1963-1971.

47. Hoffman BM. *Behind the Brands*. Oxford, England: OXFAM; 2013.

48. Hilary Green J, Richards JK, Bunning RL. Blood pressure responses to high-calcium skim milk and potassium-enriched high-calcium skim milk. *J Hypertens*. 2000;18(9):1331-1339.

49. Njike VY, Ayettey R, Petraro P, Treu JA, Katz DL. Walnut ingestion in adults at risk for diabetes: effects on body composition, diet quality, and cardiac risk measures. *BMJ Open Diabetes Res Care*. 2015;3(1):e000115.

50. Boyd EA, Bero LA. Improving the use of research evidence in guideline development: 4. managing conflicts of interests. *Health Res Policy Syst.* 2006;4:16.

51. Dickersin K, Rennie D. The evolution of trial registries and their use to assess the clinical trial enterprise. *JAMA*. 2012;307(17):1861-1864.